

Extending the Fermi-LAT Dataprocessing Pipeline to the Grid

Stockholms universitet

S. Zimmer¹, T. Johnson², T. Glanzman² on behalf of the *Fermi* Large Area Telescope Collaboration

C. Lavalley³, L. Arrabito³, A. Tsarogodtsev⁴

¹OKC, SU (Stockholm, Sweden) – ²SLAC (CA, US) – ³IN2P3/LUPM (Montpelier, France) – ⁴IN2P3/CPPM (Marseilles, France)

Summary: We discuss the *Fermi*-LAT Pipeline and its potential extension to the use of Grid services.

Abridged Abstract: The Data Handling Pipeline ("Pipeline") has been developed for the Fermi Gamma-Ray Space Telescope (Fermi) Large Area Telescope (LAT) which launched in June 2008. Since then it has been in use to completely automate the production of data quality monitoring quantities, reconstruction and routine analysis of all data received from the satellite.

In addition it receives heavy use in performing production Monte Carlo tasks. In daily use it receives a new data download every 3 hours and launches about 2000 jobs to process each download, typically completing the processing of the data before the next download arrives. We evaluate a separate interface to the Dirac system in order to communicate with EGI sites to utilize Grid resources, using dedicated Grid optimized systems rather than developing our own.

The *Fermi*-LAT Mission

- High-energy gamma-ray observatory
- > energy range: 20 MeV > 300 GeV
- Pair conversion telescope
- very large field-of-view (~2.4 sr)
- > designed for 10 years of lifetime (launched June 2008) [1] > Continuous all-sky survey with Complete sky
- coverage every 3 hours (2 orbits)
- > Data public (more details see QR)
- ➤ In addition release of catalogs, diffuse models



Figure 1: The LAT on-board the Fermi satellite (concept drawing)

Computing Requirements

- > Time-critical setup (data is released as soon as it is processed)
- Event reconstruction rate 4 Hz, downlink rate 500 Hz need 125 computing cpus, peak 800 cores per downlink
- > complex generic graphs of processes to be processed [2]
- > Raw data (15 GB/ day) reconstructed equals some 750 GB (processing, database storage, ~200 MB delivered to public)
- > Peak usage 45.000 jobs per day (job = stream in the Pipeline language, complete procedure of batch jobs and scriptlets) [3]
- > In addition use Pipeline for Monte Carlo and scientific analysis jobs (e.g. GRB blind search)

Pipeline Components, Existing Grid Infrastructure and Challenges with generic Interfaces

Web Browser




Figure 2: Pipeline and Data Catalog Implementation

Back-End

Components

Main Challenges

- direct Email sending from worker nodes not possible
- Grid certificates are personal (vs. Generic user ID for Pipeline tasks)
- Data transfer back to **SLAC** and connection to data catalog problematic

Integrating with DIRAC

- Independence from **Grid middleware** (handled by DIRAC)
- Re-use code as much as possible
- Grid inefficiencies specifically targeted by DIRAC (maximize science output)
- additional functionality from DIRAC development efforts

R/\C @ Pipeline II





Figure 5: DIRAC Pipeline Integration

- DIRAC (Distributed Infrastructure with Remote Agent Control) project [4] forms additional layer between any particular community and various computing resources
- > Pilot factory used as technology to automatically renew proxies
 - closed connection, not accessible from outside
 - enables use of generic grid certificate
- stage-in/stage-out functionality Re-use Pipeline and extend to support DIRAC data catalog queries (handled by DIRAC server)
- > Emails re-routed to DIRAC server and relayed to Pipeline Server
- Increase reliability through integrated shadow copies
 - ❖ Data remains on Grid SEs until successful transfer to central SLAC XROOTD storage
 - Additional copies of data on available SEs
- Additional monitoring tools through DIRAC
 - provides more detailed monitoring (major/minor) job statuses)
 - Read-only design to **not interfere** with Pipeline Server controls
- Log files stored on dedicated DIRAC SE
 - No journaling allows fast access to small files
 - storage element locally situated at Lyon computing site (IN2P3), accessible through web interface
 - Pipeline server connects to web server to access log files (remain on DIRAC SE)



glast.org EGI utilization ■ INFN-PISA ■ INFN-TRIESTE Figure 4: Some LAL/POL Paris usage MSFG-OPEN statistics of the VO glast.org

> glite middleware,

The VO glast.org

- sites enabled in France & Italy
- allocation: 400 cpus (1000 possible) > ~60 TB of storage
- Only some sites run Fermi SW
- heavy use for pulsar blind search, simulations outside of Pipeline

Conclusions

- > existing computing resources by VO suggest use for Pipeline purposes, in particular Monte Carlo simulations
- > establish a new Job Control Daemon that communicates with a multiVO DIRAC server located at IN2P3, Lyon (France).
- > use the pilot-factory functionality in DIRAC to renew Grid certificates automatically and the DIRAC notification system to handle **Email services** with Pipeline server
- re-route all products to IN2P3 that is already integrated in the Pipeline system and use existing technologies to connect the Pipeline to **DIRAC** services
- leave meta-data management to the existing Pipeline services
- > Services can be extended to other tasks (e.g. reprocessing of data to account for changes in reconstruction tools)

References & Acknowledgments

- [1] Atwood et al. ApJ 697, 2009
- [2] Flath et al. XVII ADASS 2008 [3] Dubois, XVII ADASS 2008
- [4] A. Tsaregorodtsev et al. CHEP 2007

We acknowledge the ongoing generous support of SLAC (US) and IN2P3 (France) as well as we thank them for increasing allocations at both sites.