

# ECal Slow Controls

#### Raphaël Dupré

IPN Orsay CNRS-IN2P3 Université Paris-Sud

Unité mixte de recherche

CNRS-IN2P3 Université Paris-Sud

91406 Orsay cedex Tél.: +33 1 69 15 73 40 Fax: +33 1 69 15 64 70 http://ipnweb.in2p3.fr



## **High and Low Voltages**

- We need to monitor and control the high and low voltages
  - HV → CAEN SY1527 chassis with A1520 boards
  - LV → Wiener MPOD with MPV 8008 boards

 The information need also to be stored in DB for offline analysis

 Final mapping of the high voltages to be confirmed by ECal group for GUI



#### **Temperature**

- We need to monitor the temperature
- This information need to be stored in DB for offline analysis
- The system is identical to the one developed for the test run
- Position of sensors to be confirmed after remounting



## **LED Monitoring System**

 Script to run the monitoring written by A. Celentano

Need to be interfaced with slow controls



#### **Scalers**

Monitoring counting rates in the ECal is critical

Scalers for the ECal are needed

 Need to determine if we want scalers at both discriminator level and FADC250 level



#### **Summary**

- High and low voltages control and monitoring
- Temperature monitoring
- LED system control
- Scalers for rates in specific crystals