



- NOTES: UNLESS OTHERWISE SPECIFIED
- AFTER FABRICATION, DEGREASE AND CLEAN W/ ALCOHOL, WRAP IN TISSUE AND FOIL, PROTECT FROM HANDLING DAMAGE.
 - UHV HANDLING: AFTER UHV CLEANING OR PLATING, HANDLE WITH CLEAN LATEX GLOVES.
 - SHIPPING: PARTS MAY BE WRAPPED IN CLEAN LINT FREE TISSUE AND UHV FOIL, AND SEALED IN CLEAN PLASTIC BAGS WITH PART NUMBER AND REV VISIBLE.

KAPTON FILM .05 MM THK	1
TITLE OR DESCRIPTION	QTY

SA-XXX-XXX-XX	DIMENSIONING AND TOLERANCING IS IAW ASME Y14.5M-1994 AND Y14.41-2003	SCALE: 2:1 DO NOT SCALE DRAWING	CAD FILE NAME: Draft1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES: BREAK EDGES .005-.015 INTERNAL CORNERS R.015 MAX FRACTIONS ± --- DEC .XX ± .01 .XXX ± .005 .XXXX ± --- ANGLE ± .5			
NEXT ASSEMBLIES:	<p>THE DRAWINGS, SPECIFICATIONS AND OTHER DATA HEREIN PROVIDED SHALL NOT BE COPIED, PUBLISHED OR OTHERWISE FURTHER DISSEMINATED WITHOUT PRIOR WRITTEN PERMISSION OF STANFORD UNIVERSITY/SLAC</p>	<p>ENGR S. OSIER DWN S. OSIER CHKR T. NELSON</p>	<p>HPS 2014 LAYER 4-6 KAPTON INSULATOR PROTOTYPE</p>
		<p>DATE: --- APPROVALS: --- ---</p>	<p>DRAWING NUMBER: PF-XXX-XXX-XX REVISION NUMBER: -- D</p>