FEE Rate Analysis

Matt Solt

SLAC National Accelerator Laboratory

mrsolt@slac.stanford.edu

09/01/15

Introduction

- Pass1, V1 Detector, Singles1 Trigger
- FEE cuts - 10 ns timing window, 0.6-1.2 GeV energy cut, greater than 2 cluster size cut. Everything is matched
- Narrower ϕ ranges for θ regions
- FEE rates in different spherical (ϕ and θ) regions of detector. Comparison of data and MC.
- Data - 5772; MC - 3.4.0

Parameter Space

- θ vs ϕ for Data (left) and MC (right) for FEE matched tracks. Positive ϕ is top and negative ϕ is bottom
- There are differences between Data and MC that will be more quantitative on the following plots

Region Definitions

- Definition of regions shown in the different colors. Black is not a part of any region
- ϕ regions (left): $\Delta\phi = 0.0666$, $0.028 < \theta < 0.040$
- θ regions (right): $\Delta\phi = 0.2$, $\Delta\theta = 0.02$

Region Definitions (Cont.)

- Definition of regions shown from previous slide in x-y coordinates
- ϕ regions (left) and θ regions (right)

Normalization and Total Rates

▶ Data normalized based on time (7200 s), current (50 nA), blind (0.1), and deadtime (0.85)

▶ MC normalized based on time (calculated from file size), current (50 nA), and prescale (2^{11})

▶ Below rates are consistent with slide 3 figure and figures that follow

Region	Data (counts/s)	MC (counts/s)
All	866.6	1135.28
Phi Regions	146.9	125.8
Theta Top Regions	65.8	66.8
Theta Bottom Regions	66.8	65.6

FEE Rate of ϕ Regions

- ▶ Data has a higher rate in these regions
- ▶ Possible misalignment effects present

FEE Rate Phi

FEE Rate of θ Regions

- For low θ, data rate is higher. Consistent with ϕ regions.
- For high θ, MC rate is higher. Consistent with slide 3 figures.

# FEE Rates of Calculation Compared to Data or MC in θ

- ▶ Comparison of Calculation (Mott Scattering) Rates to Data and MC log scale
- ▶ MC and calcs have the same slope. Data is different
- ▶ Note: Calculation are off by an arbitrary factor

FEE Rate θ Top

FEE Rate θ Bottom

FEE Ratio of Calculation to Data or MC in θ

- ▶ Comparison of the ratios of Calculation (Mott Scattering) to Data and MC
- ▶ Approximately constant ratio for MC. Ratio for data increases drastically with θ
- ▶ Note: Calculation are off by an arbitrary factor

Previous Results

- This appears to be constistent with Luca's previous results

# Conclusions

- ▶ Order of magnitude agreement between Data and MC for selected spherical regions
- ▶ Still unexplained effects - MC and Data have different behaviors as a function of θ
- ▶ Still waiting for V2 detector and Pass2...

Track Momentum

E/P

Energy