

ADDI-DATA: insmod evrma.ko

Ford, Christopher

Wed 4/6/2016 4:42 PM

To: Ford, Christopher <caf@slac.stanford.edu>;

```
# insmod /afs/slac/g/lcls/package/linuxKernel_Modules/evrmaDriver/MAIN_TRUNK/buildroot-2015.02-x86_64/evrma.ko
```

```
[436947.197611] EVRMA loading in
[436947.200635] RM: hw_res_def_count=2, total resource count: 26
[436947.206492] evrma_pci_probe: vendor=0xffffffff device=0xffffffff subvendor=0x1a3e subdevice=0x172c
class=0x0 class_mask=0x0
[436947.217792] BAR0 @0xfb500000, len=0x100000
[436947.221974] evrma_pci_probe: start=0xfb500000, length=0x100000
[436947.227913] evrma_pci_probe to modac_mngdev_create: io_ptr=0x10c00000, evr_type=7
[436947.235494] OK, going on. FW_VERSION: 0x17000007, Type: 'PCIe-EVR-300'
[436947.242224] RM: hw_res_def_count=2, total resource count: 32
```

```
# lsmod
Module                Size Used by Tainted: G
evrma                  58444 0
apci1710ctr           16068 0
apci1710               75929 1 apci1710ctr
ec_generic             3453 0
ec_master             240382 1 ec_generic
ipv6                  362178 28 [permanent]
ipmi_si                43832 0
ipmi_msghandler       34500 1 ipmi_si
igb                   136345 0
i2c_algo_bit          5232 1 igb
i2c_core               20606 2 igb,i2c_algo_bit
ptp                   10764 1 igb
pps_core               6713 1 ptp
#
```