

Event Manager

Project Name	: C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab Design\Practice Lab Design.eap
Total No. Of Events Defined	: 0
No. Of Tag Events	: 0
No. Of Day & Time Events	: 0
No. Of Screen Events	: 0

Message Database

Project Name

: C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab
Design\Practice Lab Design.eap

Total No Of Message

: 0

Address Book

Project Name

: C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab
Design\Practice Lab Design.eap

Total No Of Mail Address

: 0

Total No Of FTP Address

: 0


Tag Database

Project Name : C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab Design\Practice Lab Design.eap
 No Of Internal Tags : 0
 No Of PLC Tags : 51
 PLC Protocol : DEV001: AutomationDirect Modbus (DL05/06/205/350/405)

DEV001

Tag No	Tag Name	Data Type	Data Count	Retentive	Address	Array Start	Array End
1	0VV CHECK	Discrete	1	False	C1	0	0
2	ANY LSS INTERLOCK FLAG	Discrete	1	False	C60	0	0
3	CANCEL SHUTTER OPEN	Discrete	1	False	C16	0	0
4	CARBIDE ENCLOSURE	Discrete	1	False	X11	0	0
5	CLOSE EXIT S1	Discrete	1	False	C77	0	0
6	CLOSE TRANSPORT S1	Discrete	1	False	C75	0	0
7	EMERGENCY ENTRY 1 BREAK GLASS	Discrete	1	False	C22	0	0
8	EMERGENCY ENTRY 1 LATCH	Discrete	1	False	C23	0	0
9	EMERGENCY ENTRY 2 BREAK GLASS	Discrete	1	False	C24	0	0
10	EMERGENCY ENTRY 2 LATCH	Discrete	1	False	C25	0	0
11	ENCLOSURE 1 LATCH	Discrete	1	False	C37	0	0
12	ENCLOSURE 2 LATCH	Discrete	1	False	C40	0	0
13	ENCLOSURE 3 LATCH	Discrete	1	False	C41	0	0
14	ENTRY DOOR 1	Discrete	1	False	X13	0	0
15	ENTRY DOOR 1 LATCH	Discrete	1	False	C30	0	0
16	ENTRY DOOR 2	Discrete	1	False	X14	0	0
17	ENTRY DOOR 2 LATCH	Discrete	1	False	C31	0	0
18	EO 1	Discrete	1	False	X0	0	0
19	EO 2	Discrete	1	False	X1	0	0
20	EO LATCH	Discrete	1	False	C65	0	0
21	ERROR MESSAGE	Signed int 16	1	False	V501	0	0
22	EXIT 1 CLOSED	Discrete	1	False	X5	0	0
23	EXIT 1 OPEN	Discrete	1	False	X4	0	0
24	EXIT S1 CLOSED	Discrete	1	False	C63	0	0
25	EXIT S1 OPEN	Discrete	1	False	C50	0	0
26	EXIT SHUTTER ENABLE	Discrete	1	False	C7	0	0
27	MASTER ENABLE	Discrete	1	False	X6	0	0
28	NO 0VV	Discrete	1	False	C12	0	0
29	OPEN EXIT S1	Discrete	1	False	C71	0	0
30	OPEN TRANSPORT S1	Discrete	1	False	C67	0	0
31	OPERATING MODE	Signed int 16	1	False	V500	0	0
32	OPERATOR KEYED IN	Discrete	1	False	C0	0	0
33	PS1 ENABLE	Discrete	1	False	C56	0	0
34	PS2 ENABLE	Discrete	1	False	C57	0	0
35	REQUEST CLASS 1	Discrete	1	False	C43	0	0
36	REQUEST CLASS 4 JSA	Discrete	1	False	C45	0	0
37	REQUEST CLASS 4 NORMAL	Discrete	1	False	C44	0	0
38	REQUEST LASER OFF	Discrete	1	False	C42	0	0
39	RESET LATCHES	Discrete	1	False	C17	0	0
40	SCAN NUMBER	Signed int 16	1	False	V7765	0	0
41	SHUTTER STATE LATCH	Discrete	1	False	C33	0	0
42	SHUTTER STATE TRIP	Discrete	1	False	C32	0	0
43	SOFTWARE VERSION	Signed int 16	1	False	V5000	0	0
44	T1 ENCLOSURE	Discrete	1	False	X10	0	0
45	TRANSPORT 1 CLOSED	Discrete	1	False	X3	0	0
46	TRANSPORT 1 OPEN	Discrete	1	False	X2	0	0
47	TRANSPORT S1 CLOSED	Discrete	1	False	C62	0	0
48	TRANSPORT S1 OPEN	Discrete	1	False	C46	0	0
49	TRANSPORT SHUTTER ENABLE	Discrete	1	False	C55	0	0
50	YAG ENCLOSURE	Discrete	1	False	X12	0	0
51	YES 0VV	Discrete	1	False	C11	0	0


1 – Main Menu



Project Name : C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab Design\Practice Lab Design.eap
 Screen Description :



[Main] Name : StaticText1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 0,0 80,1024 1024 80
[General] Transparent : False
 Advanced : False
 Text : 1 – LASER SAFETY CONTROL PANEL
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 14



[Main] Name : MultiStateTextIndicator1
 Display Frame : True
 Top-Left/Bottom-Right/Width/Height : 96,16 208,448 432 112
[General] Label : True
 Label Text : 1 – LSS LASER MODE STATUS:
 : 2 – MULTI STATE TEXT INDICATOR
 Label Text Color : 0
 Label Back Color : 12
 Label Back Effect : None
 Label Position/Label Align : Top/Middle
 Label Text size(Font) : 12 (Arial)
 Tag Name : OPERATING MODE
 Text Alignment : Middle
 Messages are based on : Bit Number
 Data Format : Decimal Numbering
 Non-programmed Bitmap : Display an Error Message
[Message] Message1 : Default
 Bit Number : 1 – SYSTEM INITIALIZED, NOT IN ANY MODE
 Message : 0/(False)
 Text Color(Blink) : 102/(False)
 Back Color(Blink) : 102/(False)

Back Effect	: None
Log Message	: False
Font	: Arial
Text Size	: 12
Message2	
Bit Number	: 0
Message	: 1 – OPERATING IN CLASS 4 NORMAL MODE
Text Color(Blink)	: 0/(False)
Back Color(Blink)	: 16/(False)
Back Effect	: None
Log Message	: False
Font	: Arial
Text Size	: 12
Message3	
Bit Number	: 1
Message	: 1 – OPERATING IN CLASS 4 JSA MODE
Text Color(Blink)	: 0/(False)
Back Color(Blink)	: 16/(False)
Back Effect	: None
Log Message	: False
Font	: Arial
Text Size	: 12
Message4	
Bit Number	: 2
Message	: 1 – OPERATING IN CLASS 1 MODE
Text Color(Blink)	: 0/(False)
Back Color(Blink)	: 24/(False)
Back Effect	: None
Log Message	: False
Font	: Arial
Text Size	: 12
Message5	
Bit Number	: 3
Message	: 1 – OPERATING IN LASER OFF MODE
Text Color(Blink)	: 0/(False)
Back Color(Blink)	: 32/(False)
Back Effect	: None
Log Message	: False
Font	: Arial
Text Size	: 12
[Visibility]	Object Visibility Option
	: False

REQUEST MODE:

[Main]	Name	: StaticText2
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 224,16 288,448 432 64
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 – REQUEST MODE:
		: 2 – STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

LASER OFF MODE

[Main]	Name	: Pushbutton1
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 304,16 368,192 176 64
[General]	Label	: False
	Tag Name	: <i>REQUEST LASER OFF</i>
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 – LASER OFF MODE
		: 2 – On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 – LASER OFF MODE
		: 2 – Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 12(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)

	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: OPERATOR KEYED IN
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

CLASS 4 NORMAL MODE

[Main]	Name	: Pushbutton2
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 384,16 448,192 176 64
[General]	Label	: False
	Tag Name	: REQUEST CLASS 4 NORMAL
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 - CLASS 4 NORMAL MODE
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 - CLASS 4 NORMAL MODE
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 12(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: OPERATOR KEYED IN
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

CLASS 4 JSA MODE

[Main]	Name	: Pushbutton3
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 384,272 448,448 176 64
[General]	Label	: False
	Tag Name	: REQUEST CLASS 4 JSA
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 - CLASS 4 JSA MODE
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 - CLASS 4 JSA MODE
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 12(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: OPERATOR KEYED IN
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

CLASS 1 MODE

[Main]	Name	: Pushbutton4
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 304,272 368,448 176 64
[General]	Label	: False
	Tag Name	: REQUEST CLASS 1
	Object Style/Object Type	: Style-1(Rectangular)/Toggle

	ON Text	: 1 - CLASS 1 MODE
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 - CLASS 1 MODE
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 12(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: OPERATOR KEYED IN
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

ERROR MESSAGES

NO ERRORS

[Main]	Name	: MultiStateTextIndicator2
	Display Frame	: True
	Top-Left/Bottom-Right/Width/Height	: 464,16 576,448 432 112
[General]	Label	: True
	Label Text	: 1 - ERROR MESSAGES
		: 2 - MULTI STATE TEXT INDICATOR
		: 0
		: 12
	Label Text Color	: None
	Label Back Color	: Top/Middle
	Label Back Effect	: 12 (Arial)
	Label Position/Label Align	: ERROR MESSAGE
	Label Text size(Font)	: Middle
	Tag Name	: Bit Number
	Text Alignment	: Decimal Numbering
	Messages are based on	: Display an Error Message
	Data Format	
	Non-programmed Bitmap	
[Message]	Message1	
	Bit Number	: Default
	Message	: 1 - NO ERRORS
	Text Color(Blink)	: 0/(False)
	Back Color(Blink)	: 32/(False)
	Back Effect	: None
	Log Message	: False
	Font	: Arial
	Text Size	: 12
	Message2	
	Bit Number	: 0
	Message	: 1 - ENTRY DOOR 1 OPEN
	Text Color(Blink)	: 0/(False)
	Back Color(Blink)	: 16/(False)
	Back Effect	: None
	Log Message	: False
	Font	: Arial
	Text Size	: 12
	Message3	
	Bit Number	: 1
	Message	: 1 - ENTRY DOOR 2 OPEN
	Text Color(Blink)	: 0/(False)
	Back Color(Blink)	: 16/(False)
	Back Effect	: None
	Log Message	: False
	Font	: Arial
	Text Size	: 12
[Visibility]	Object Visibility Option	: False

TRANSPORT SHUTTERS

OPEN

[Main]	Name	: TriggeredText1
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 176,496 256,720 224 80
[General]	Label	: False
	Trigger Tag	: TRANSPORT S1 CLOSED
	ON Text	: 1 - TRANSPORT SHUTTERS CLOSED
		: 2 - On

ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - TRANSPORT SHUTTERS OPEN
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 [Visibility] Object Visibility Option : False

SHUTTER STATUS

[Main] Name : StaticText3
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 96,496 160,976 480 64
 [General] Transparent : False
 Advanced : False
 Text : 1 - SHUTTER STATUS
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12

EXIT SHUTTERS OPEN

[Main] Name : TriggeredText2
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 176,752 256,976 224 80
 [General] Label : False
 Trigger Tag : *EXIT S1 CLOSED*
 ON Text : 1 - EXIT SHUTTERS CLOSED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - EXIT SHUTTERS OPEN
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 [Visibility] Object Visibility Option : False

INTERLOCK SUMMARY AND PERMISSIVES

[Main] Name : StaticText4
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 272,496 336,992 496 64
 [General] Transparent : False
 Advanced : False
 Text : 1 - INTERLOCK SUMMARY AND PERMISSIVES
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12

TRANSPORT SHUTTERS DISABLED

[Main] Name : TriggeredText3
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 352,496 432,736 240 80
 [General] Label : False
 Trigger Tag : *TRANSPORT SHUTTER ENABLE*
 ON Text : 1 - TRANSPORT SHUTTERS ENABLED
 : 2 - On

ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - TRANSPORT SHUTTERS DISABLED
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 Object Visibility Option : False

[Visibility]



[Main]

Name : TriggeredText4
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 352,752 432,992 240 80

[General]

Label : False
 Trigger Tag : *PS1 ENABLE*
 ON Text : 1 - PS1 ENABLED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - PS1 DISABLED
 : 2 - Off

OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 Object Visibility Option : False

[Visibility]



[Main]


Name : TriggeredText5
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 448,752 528,992 240 80

[General]

Label : False
 Trigger Tag : *PS2 ENABLE*
 ON Text : 1 - PS2 ENABLED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - PS2 DISABLED
 : 2 - Off

OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 Object Visibility Option : False

[Visibility]



[Main]

Name : TriggeredText6
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 448,496 528,720 224 80

[General]


Label : False
 Trigger Tag : *ANY LSS INTERLOCK FLAG*
 ON Text : 1 - LSS INTERLOCK TRIPPED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - ALL INTERLOCKS OK
 : 2 - Off
 OFF Text Color : 0(False)

[Visibility] OFF Text Back Color : 32(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 Object Visibility Option : False




[Main] Name : StaticText5
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 600,61 664,278 217 64
 [General] Transparent : False
 Advanced : False
 Text : 1 - OPERATOR CONTROL IS:
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12

[Main] Name : IndicatorLight1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 600,278 664,392 114 64
 [General] Label : False
 Tag Name : OPERATOR KEYED IN
 Object Style : Style-1(Rectangular)
 ON Text : 1 - ACTIVE
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - NOT ACTIVE
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 24(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 [Visibility] Object Visibility Option : False



[Main] Name : NumericDisplay1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 570,510 624,670 160 54
 [General] Label : True
 Label Text : 1 - PLC:
 : 2 - NUMERIC DISPLAY
 Label Text Color : 0
 Label Back Color : 12
 Label Back Effect : None
 Label Position/Label Align : Top/Middle
 Label Text size(Font) : 9 (Arial - Default)
 Tag Name : SOFTWARE VERSION
 Use Tag For Decimal Point : False
 Font : Arial - Default
 Text Size : 12
 Text Color (Blink) : 0(False)
 Back Color (Blink) : 12(False)
 Back Effect : None
 Data Type : Signed Decimal
 Total Digits/Fractional Digits : 5/0
 Prefix/Suffix : /
 Comma Separator : False
 Justify : Leading Spaces
 [Scaling] Scaling Option : False
 [Visibility] Object Visibility Option : False
 [Option] Calculation/Display Value : False



[Main] Name : NumericDisplay2
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 640,510 694,668 158 54

[General] Label : True
 Label Text : 1 - SCAN COUNTER:
 : 2 - NUMERIC DISPLAY
 Label Text Color : 0
 Label Back Color : 12
 Label Back Effect : None
 Label Position/Label Align : Top/Middle
 Label Text size(Font) : 9 (Arial - Default)
 Tag Name : *SCAN NUMBER*
 Use Tag For Decimal Point : False
 Font : Arial - Default
 Text Size : 12
 Text Color (Blink) : 0(False)
 Back Color (Blink) : 12(False)
 Back Effect : None
 Data Type : Signed Decimal
 Total Digits/Fractional Digits : 5/0
 Prefix/Suffix : /
 Comma Separator : False
 Justify : Leading Spaces
[Scaling] Scaling Option : False
[Visibility] Object Visibility Option : False
[Option] Calculation/Display Value : False




[Main] Name : Pushbutton5
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 576,800 672,1008 208 96

[General] Label : False
 Tag Name : *RESET LATCHES*
 Object Style/Object Type : Style-1(Rectangular)/Toggle
 ON Text : 1 - RESETTING INTERLOCKS
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - PRESS TO RESET INTERLOCKS
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 102(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12

[Visibility] Object Visibility Option : True
 Tag Name : *OPERATOR KEYED IN*
 Condition : When address value is ON
 Value : ON


[Option] Sound Library : Default (Beep)
 Press Delay : False
[Password] Password Option : False



[Main] Name : ShowPopupWindow1
 Display Frame : True
 Top-Left/Bottom-Right/Width/Height : 260,1080 640,1780 700 380

[General] Trigger Tag : *OVV CHECK*
 Screen Number/Name : 5/OVV Check
 Window Type : Modal Window
 Frame Color : 112
 Show Title Bar : True
 Title Text : 1 - WAIT!
 : 2 -
 Text Color / Back Color : 15/112
 Back Effect : None

2 – Interlock Details




Project Name : C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab Design\Practice Lab Design.eap
 Screen Description :



[Main] Name : StaticText1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 0,0 80,1024 1024 80
[General] Transparent : False
 Advanced : False
 Text : 1 – LASER SAFETY INTERLOCK STATUS DETAILS
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 14



[Main] Name : StaticText2
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 96,16 128,224 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 – INTERLOCK NAME
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12



[Main] Name : StaticText3
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 96,240 128,448 208 32
[General] Transparent : False

Advanced : False
 Text : 1 - CURRENT STATE
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12

LATCHED STATE

[Main] Name : StaticText4
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 96,464 128,672 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 - LATCHED STATE
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12

PRESS TO RESET INTERLOCKS

[Main] Name : Pushbutton1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 592,730 688,1008 278 96
[General] Label : False
 Tag Name : *RESET LATCHES*
 Object Style/Object Type : Style-1(Rectangular)/Toggle
 ON Text : 1 - RESETTING INTERLOCKS
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - PRESS TO RESET INTERLOCKS
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 102(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
[Visibility] Object Visibility Option : True
 Tag Name : *OPERATOR KEYED IN*
 Condition : When address value is ON
 Value : ON
[Option] Sound Library : Default (Beep)
 Press Delay : False
[Password] Password Option : False

NOT ACTIVE

[Main] Name : IndicatorLight1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 390,900 454,1008 108 64
[General] Label : False
 Tag Name : *OPERATOR KEYED IN*
 Object Style : Style-1(Rectangular)
 ON Text : 1 - ACTIVE
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial - Default)
 ON Text Size : 9
 OFF Text : 1 - NOT ACTIVE
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 24(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
[Visibility] Object Visibility Option : False

OPERATOR CONTROL IS:

[Main]	Name	: StaticText5
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 390,690 454,900 210 64
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 – OPERATOR CONTROL IS: : 2 – STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

MASTER ENABLE KEY

[Main]	Name	: StaticText6
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 144,16 176,224 208 32
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 – MASTER ENABLE KEY : 2 – STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial – Default)
	Text Size	: 9

OFF

[Main]	Name	: IndicatorLight2
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 144,240 176,352 112 32
[General]	Label	: False
	Tag Name	: <i>MASTER ENABLE</i>
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 – OK : 2 – On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial – Default)
	ON Text Size	: 9
	OFF Text	: 1 – OFF : 2 – Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 16(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial – Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False

EO 1

[Main]	Name	: StaticText7
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 192,16 224,224 208 32
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 – EO 1 : 2 – STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial – Default)
	Text Size	: 9

EO 2

[Main]	Name	: StaticText8
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 240,16 272,224 208 32
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 - EO 2
		: 2 - STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial - Default)
	Text Size	: 9

OK

[Main]	Name	: IndicatorLight3
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 192,240 224,432 192 32
[General]	Label	: False
	Tag Name	: EO 1
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial - Default)
	ON Text Size	: 9
	OFF Text	: 1 - OK
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial - Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False

OK

[Main]	Name	: IndicatorLight4
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 240,240 272,432 192 32
[General]	Label	: False
	Tag Name	: EO 2
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial - Default)
	ON Text Size	: 9
	OFF Text	: 1 - OK
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial - Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False

OK

[Main]	Name	: IndicatorLight5
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 240,480 272,672 192 32
[General]	Label	: False
	Tag Name	: EO LATCH
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)


ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial - Default)
 ON Text Size : 9
 OFF Text : 1 - OK
 : 2 - Off
 : 0(False)
 OFF Text Color : 32(False)
 OFF Text Back Color : None
 OFF Text Back Effect : Middle(Arial - Default)
 OFF Text Alignment(Font) : 9
 OFF Text Size : False
 Object Visibility Option

[Visibility]




[Main] Name : IndicatorLight6
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 192,480 224,672 192 32
[General] Label : False
 Tag Name : *EO LATCH*
 Object Style : Style-1(Rectangular)
 ON Text : 1 - TRIPPED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial - Default)
 ON Text Size : 9
 OFF Text : 1 - OK
 : 2 - Off
 : 0(False)
 OFF Text Color : 32(False)
 OFF Text Back Color : None
 OFF Text Back Effect : Middle(Arial - Default)
 OFF Text Alignment(Font) : 9
 OFF Text Size : False
 Object Visibility Option


[Visibility]



[Main] Name : StaticText9
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 288,16 320,224 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 - SHUTTER STATE
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial - Default)
 Text Size : 9



[Main] Name : StaticText10
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 336,16 368,224 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 - ENCLOSURE 1 (T1)
 : 2 - STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial - Default)
 Text Size : 9



[Main] Name : StaticText11
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 384,16 432,224 208 48
[General] Transparent : False
 Advanced : False
 Text : 1 - ENCLOSURE 2 (CARBIDE)
 : 2 - STATIC TEXT

Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial – Default)
 Text Size : 9

ENCLOSURE 3 (YAG)

[Main] Name : StaticText12
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 448,16 480,224 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 – ENCLOSURE 3 (YAG)
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial – Default)
 Text Size : 9

ENTRY DOOR 1

[Main] Name : StaticText13
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 496,16 528,224 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 – ENTRY DOOR 1
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial – Default)
 Text Size : 9

EMERGENCY ENTRY 1 BREAK GLASS

[Main] Name : StaticText14
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 544,16 592,224 208 48
[General] Transparent : False
 Advanced : False
 Text : 1 – EMERGENCY ENTRY 1 BREAK GLASS
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial – Default)
 Text Size : 9

ENTRY DOOR 2

[Main] Name : StaticText15
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 608,16 640,224 208 32
[General] Transparent : False
 Advanced : False
 Text : 1 – ENTRY DOOR 2
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial – Default)
 Text Size : 9

EMERGENCY ENTRY 2 BREAK GLASS

[Main] Name : StaticText16
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 656,16 704,224 208 48
[General] Transparent : False
 Advanced : False
 Text : 1 – EMERGENCY ENTRY 2 BREAK GLASS
 : 2 – STATIC TEXT

Text Color : 0
Back Color : 12
Back Effect : None
Text Alignment(Font) : Middle(Arial – Default)
Text Size : 9

OK

[Main] Name : IndicatorLight7
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 288,240 320,432 192 32

[General] Label : False
Tag Name : *SHUTTER STATE TRIP*
Object Style : Style-1(Rectangular)
ON Text : 1 – TRIPPED
2 – On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial – Default)
ON Text Size : 9
OFF Text : 1 – OK
2 – Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial – Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OK

[Main] Name : IndicatorLight8
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 288,480 320,672 192 32

[General] Label : False
Tag Name : *SHUTTER STATE LATCH*
Object Style : Style-1(Rectangular)
ON Text : 1 – TRIPPED
2 – On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial – Default)
ON Text Size : 9
OFF Text : 1 – OK
2 – Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial – Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OPEN

[Main] Name : IndicatorLight9
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 336,240 368,432 192 32

[General] Label : False
Tag Name : *T1 ENCLOSURE*
Object Style : Style-1(Rectangular)
ON Text : 1 – CLOSED
2 – On
ON Text Color : 0(False)
ON Text Back Color : 32(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial – Default)
ON Text Size : 9
OFF Text : 1 – OPEN
2 – Off
OFF Text Color : 0(False)
OFF Text Back Color : 16(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial – Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OK

[Main] Name : IndicatorLight10
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 336,480 368,672 192 32

[General] Label : False
Tag Name : *ENCLOSURE 1 LATCH*
Object Style : Style-1(Rectangular)
ON Text : 1 - TRIPPED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OK
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OPEN

[Main] Name : IndicatorLight11
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 384,240 432,432 192 48

[General] Label : False
Tag Name : *CARBIDE ENCLOSURE*
Object Style : Style-1(Rectangular)
ON Text : 1 - CLOSED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 32(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OPEN
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 16(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OPEN

[Main] Name : IndicatorLight12
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 448,240 480,432 192 32

[General] Label : False
Tag Name : *YAG ENCLOSURE*
Object Style : Style-1(Rectangular)
ON Text : 1 - CLOSED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 32(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OPEN
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 16(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OK

[Main] Name : IndicatorLight13
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 384,480 432,672 192 48

[General] Label : False
Tag Name : *ENCLOSURE 2 LATCH*
Object Style : Style-1(Rectangular)
ON Text : 1 - TRIPPED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OK
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OK

[Main] Name : IndicatorLight14
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 448,480 480,672 192 32

[General] Label : False
Tag Name : *ENCLOSURE 3 LATCH*
Object Style : Style-1(Rectangular)
ON Text : 1 - TRIPPED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OK
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OPEN

[Main] Name : IndicatorLight15
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 496,240 528,432 192 32

[General] Label : False
Tag Name : *ENTRY DOOR 1*
Object Style : Style-1(Rectangular)
ON Text : 1 - CLOSED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 32(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OPEN
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 16(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OPEN

[Main] Name : IndicatorLight16
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 608,240 640,432 192 32

[General] Label : False
Tag Name : *ENTRY DOOR 2*
Object Style : Style-1(Rectangular)
ON Text : 1 - CLOSED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 32(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OPEN
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 16(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OK

[Main] Name : IndicatorLight17
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 496,480 528,672 192 32

[General] Label : False
Tag Name : *ENTRY DOOR 1 LATCH*
Object Style : Style-1(Rectangular)
ON Text : 1 - TRIPPED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OK
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False

OK

[Main] Name : IndicatorLight18
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 608,480 640,672 192 32

[General] Label : False
Tag Name : *ENTRY DOOR 2 LATCH*
Object Style : Style-1(Rectangular)
ON Text : 1 - TRIPPED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 16(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial - Default)
ON Text Size : 9
OFF Text : 1 - OK
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 32(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial - Default)
OFF Text Size : 9

[Visibility] Object Visibility Option : False



[Main]	Name	: IndicatorLight19
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 544,240 592,432 192 48
[General]	Label	: False
	Tag Name	: <i>EMERGENCY ENTRY 1 BREAK GLASS</i>
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial - Default)
	ON Text Size	: 9
	OFF Text	: 1 - OK
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial - Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False



[Main]	Name	: IndicatorLight20
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 656,240 704,432 192 48
[General]	Label	: False
	Tag Name	: <i>EMERGENCY ENTRY 2 BREAK GLASS</i>
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial - Default)
	ON Text Size	: 9
	OFF Text	: 1 - OK
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial - Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False



[Main]	Name	: IndicatorLight21
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 544,480 592,672 192 48
[General]	Label	: False
	Tag Name	: <i>EMERGENCY ENTRY 1 LATCH</i>
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial - Default)
	ON Text Size	: 9
	OFF Text	: 1 - OK
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial - Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False




[Main]	Name	: IndicatorLight22
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 656,480 704,672 192 48
[General]	Label	: False
	Tag Name	: <i>EMERGENCY ENTRY 2 LATCH</i>
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 - TRIPPED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial - Default)
	ON Text Size	: 9
	OFF Text	: 1 - OK
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial - Default)
	OFF Text Size	: 9
[Visibility]	Object Visibility Option	: False



[Main]	Name	: TriggeredText1
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 480,730 576,1008 278 96
[General]	Label	: False
	Trigger Tag	: <i>TRANSPORT SHUTTER ENABLE</i>
	ON Text	: 1 - TRANSPORT SHUTTERS ENABLED
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 - TRANSPORT SHUTTERS DISABLED
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 16(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: False

3 – T1 Shutter Controls



Project Name : C:\Users\jprieger\Documents\Jenna's
 Screen Description : LSS\Practice Lab Design\Practice Lab Design.eap



[Main] Name : StaticText1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 0,0 80,1024 1024 80

[General] Transparent : False
 Advanced : False
 Text : 1 – LASER SAFETY SHUTTER CONTROLS (T1)
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 14



[Main] Name : Pushbutton1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 590,740 672,1008 268 82

[General] Label : False
 Tag Name : *RESET LATCHES*
 Object Style/Object Type : Style-1(Rectangular)/Toggle
 ON Text : 1 – RESET INTERLOCKS
 : 2 – On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 – RESET INTERLOCKS
 : 2 – Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 102(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12

[Visibility] Object Visibility Option : True

	<i>Tag Name</i>	: OPERATOR KEYED IN
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

SHUTTER

[Main]	Name	: StaticText2
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 96,16 140,224 208 44
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 - SHUTTER
		: 2 - STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

CONTROL

[Main]	Name	: StaticText3
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 96,260 140,520 260 44
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 - CONTROL
		: 2 - STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

OPEN POSITION READBACK

[Main]	Name	: StaticText4
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 96,544 144,752 208 48
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 - OPEN POSITION READBACK
		: 2 - STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

CLOSED POSITION READBACK

[Main]	Name	: StaticText5
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 96,768 144,976 208 48
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 - CLOSED POSITION READBACK
		: 2 - STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

TRANSPORT S1

[Main]	Name	: StaticText6
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 170,30 202,210 180 32
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 - TRANSPORT S1

Text Color : 2 – STATIC TEXT
 Back Color : 0
 Back Effect : 12
 Text Alignment(Font) : None
 Text Size : Middle(Arial)
 Text Size : 12

EXIT S1

[Main] Name : StaticText7
 Display Frame : False
[General] Top-Left/Bottom-Right/Width/Height : 240,30 272,210 180 32
 Transparent : False
 Advanced : False
 Text : 1 – EXIT S1
 : 2 – STATIC TEXT
 Text Color : 0
 Back Color : 12
 Back Effect : None
 Text Alignment(Font) : Middle(Arial)
 Text Size : 12

NOT OPEN

[Main] Name : IndicatorLight1
 Display Frame : False
[General] Top-Left/Bottom-Right/Width/Height : 170,560 202,736 176 32
 Label : False
 Tag Name : *TRANSPORT 1 OPEN*
 Object Style : Style-1(Rectangular)
 ON Text : 1 – OPEN
 : 2 – On
 ON Text Color : 0(False)
 ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 – NOT OPEN
 : 2 – Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 32(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
[Visibility] Object Visibility Option : False

NOT OPEN

[Main] Name : IndicatorLight2
 Display Frame : False
[General] Top-Left/Bottom-Right/Width/Height : 240,560 272,736 176 32
 Label : False
 Tag Name : *EXIT 1 OPEN*
 Object Style : Style-1(Rectangular)
 ON Text : 1 – OPEN
 : 2 – On
 ON Text Color : 0(False)
 ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 – NOT OPEN
 : 2 – Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 32(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
[Visibility] Object Visibility Option : False

NOT CLOSED

[Main] Name : IndicatorLight3
 Display Frame : False
[General] Top-Left/Bottom-Right/Width/Height : 170,780 202,960 180 32
 Label : False

Tag Name : *TRANSPORT 1 CLOSED*
 Object Style : Style-1(Rectangular)
 ON Text : 1 - CLOSED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - NOT CLOSED
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 Object Visibility Option : False

[Visibility]



[Main] Name : IndicatorLight4
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 240,780 272,960 180 32
[General] Label : False
 Tag Name : *EXIT 1 CLOSED*
 Object Style : Style-1(Rectangular)
 ON Text : 1 - CLOSED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - NOT CLOSED
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
 Object Visibility Option : False

[Visibility]



[Main] Name : Pushbutton2
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 170,260 202,380 120 32
[General] Label : False
 Tag Name : *OPEN TRANSPORT S1*
 Object Style/Object Type : Style-1(Rectangular)/Toggle
 ON Text : 1 - OPENING
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - OPEN
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12
[Visibility] Object Visibility Option : True
 Tag Name : *TRANSPORT SHUTTER ENABLE*
 Condition : When address value is ON
 Value : ON
[Option] Sound Library : Default (Beep)
 Press Delay : False
[Password] Password Option : False

OPEN

[Main]	Name	: Pushbutton3
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 240,260 272,380 120 32
[General]	Label	: False
	Tag Name	: <i>OPEN EXIT S1</i>
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 - OPENING
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 16(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 - OPEN
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 16(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: <i>EXIT SHUTTER ENABLE</i>
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

CLOSE

[Main]	Name	: Pushbutton4
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 170,400 202,520 120 32
[General]	Label	: False
	Tag Name	: <i>CLOSE TRANSPORT S1</i>
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 - CLOSING
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 - CLOSE
		: 2 - Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: <i>TRANSPORT SHUTTER ENABLE</i>
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False

CLOSE

[Main]	Name	: Pushbutton5
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 240,400 272,520 120 32
[General]	Label	: False
	Tag Name	: <i>CLOSE EXIT S1</i>
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 - CLOSING
		: 2 - On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12

	OFF Text	: 1 – CLOSE
		: 2 – Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12
[Visibility]	Object Visibility Option	: True
	Tag Name	: <i>EXIT SHUTTER ENABLE</i>
	Condition	: When address value is ON
	Value	: ON
[Option]	Sound Library	: Default (Beep)
	Press Delay	: False
[Password]	Password Option	: False
[Main]	Name	: Rectangle1
	Top-Left/Bottom-Right/Width/Height	: 160,260 280,520 260 120
[General]	Advanced	: True
	Line Width	: 1
	Line Color	: 14
	Line Style	: Solid Line
	Object Style	: Rectangle
	Angle (in Degree)	: 0
	Fill Color	: Enabled
	Fill Color Tag Name	: <i>OPERATOR KEYED IN</i>
	ON Fill Color/OFF Fill Color	: 14/ 14
[Visibility]	Object Visibility Option	: True
	Tag Name	: <i>OPERATOR KEYED IN</i>
	Condition	: When address value is OFF
	Value	: OFF
[Move]	Use Moving Animation	: False
[Size]	Use Sizing Animation	: False
[Rotation]	Use Rotation Animation	: False

OPERATOR CONTROL IS: NOT ACTIVE

[Main]	Name	: StaticText8
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 610,31 674,248 217 64
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 – OPERATOR CONTROL IS:
		: 2 – STATIC TEXT
	Text Color	: 0
	Back Color	: 12
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 12

[Main]	Name	: IndicatorLight5
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 610,248 674,362 114 64
[General]	Label	: False
	Tag Name	: <i>OPERATOR KEYED IN</i>
	Object Style	: Style-1(Rectangular)
	ON Text	: 1 – ACTIVE
		: 2 – On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 12
	OFF Text	: 1 – NOT ACTIVE
		: 2 – Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 24(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 12

[Visibility] Object Visibility Option : False



[Main] Name : IndicatorLight6
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 380,810 444,1002 192 64

[General] Label : False
 Tag Name : SHUTTER STATE LATCH
 Object Style : Style-1(Rectangular)
 ON Text : 1 - SHUTTER STATE TRIPPED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 16(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - SHUTTER STATE OK
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 32(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12

[Visibility] Object Visibility Option : False



[Main] Name : Pushbutton6
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 480,740 560,1008 268 80

[General] Label : False
 Tag Name : CANCEL SHUTTER OPEN
 Object Style/Object Type : Style-1(Rectangular)/Toggle
 ON Text : 1 - CANCELLING OPEN SHUTTER
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - CANCEL OPEN SHUTTER
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 102(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12

[Visibility] Object Visibility Option : True
 Tag Name : OPERATOR KEYED IN
 Condition : When address value is ON
 Value : ON

[Option] Sound Library : Default (Beep)
 Press Delay : False

[Password] Password Option : False



[Main] Name : TriggeredText1
 Display Frame : False
 Top-Left/Bottom-Right/Width/Height : 592,470 672,710 240 80

[General] Label : False
 Trigger Tag : TRANSPORT SHUTTER ENABLE
 ON Text : 1 - TRANSPORT SHUTTERS ENABLED
 : 2 - On
 ON Text Color : 0(False)
 ON Text Back Color : 32(False)
 ON Text Back Effect : None
 ON Text Alignment(Font) : Middle(Arial)
 ON Text Size : 12
 OFF Text : 1 - TRANSPORT SHUTTERS DISABLED
 : 2 - Off
 OFF Text Color : 0(False)
 OFF Text Back Color : 16(False)
 OFF Text Back Effect : None
 OFF Text Alignment(Font) : Middle(Arial)
 OFF Text Size : 12

[Visibility] Object Visibility Option : False




[Main] Name : TriggeredText2
Display Frame : False
Top-Left/Bottom-Right/Width/Height : 480,470 560,710 240 80

[General] Label : False
Trigger Tag : *EXIT SHUTTER ENABLE*
ON Text : 1 - EXIT SHUTTERS ENABLED
: 2 - On
ON Text Color : 0(False)
ON Text Back Color : 32(False)
ON Text Back Effect : None
ON Text Alignment(Font) : Middle(Arial)
ON Text Size : 12
OFF Text : 1 - EXIT SHUTTERS DISABLED
: 2 - Off
OFF Text Color : 0(False)
OFF Text Back Color : 16(False)
OFF Text Back Effect : None
OFF Text Alignment(Font) : Middle(Arial)
OFF Text Size : 12

[Visibility] Object Visibility Option : False

4 – Menu




Project Name : C:\Users\jprieger\Documents\Jenna's
 LSS\Practice Lab Design\Practice Lab Design.eap
 Screen Description :



[Main]	Name	: ScreenSelector1
	Display Frame	: True
	Top-Left/Bottom-Right/Width/Height	: 704,0 768,1024 1024 64
[General]	Label	: False
	Object Style	: Style 1
	Rows	: 3
	Button Text	: Screen Name
	Next Page	: False
	Previous Page	: False
	Object Type	: Static
	Active Text Color/Blink	: 0(False)
	Active Back Color/Blink	: 102(False)
	Active Effect	: None
	Inactive Text Color	: 0
	Inactive Back Color	: 12
	Inactive Effect	: None
	Text Alignment(Font)	: Middle (Arial - Default)
	Text Size	: 9
[Screen]	Select All Screen	: True
	Current Screen Buttons	: 1
	Current Screen Buttons	: 2
	Current Screen Buttons	: 3
	Current Screen Buttons	: 4
	Current Screen Buttons	: 5
[Visibility]	Object Visibility Option	: False

5 – 0VV Check



Project Name : C:\Users\jprieger\Documents\Jenna's LSS\Practice Lab Design\Practice Lab Design.eap
 Screen Description :



[Main]	Name	: StaticText1
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 40,50 120,650 600 80
[General]	Transparent	: False
	Advanced	: False
	Text	: 1 – HAVE YOU PERFORMED ZERO VOLTAGE VERIFICATION?
		: 2 – STATIC TEXT
	Text Color	: 15
	Back Color	: 112
	Back Effect	: None
	Text Alignment(Font)	: Middle(Arial)
	Text Size	: 16



[Main]	Name	: Pushbutton1
	Display Frame	: False
	Top-Left/Bottom-Right/Width/Height	: 160,100 310,320 220 150
[General]	Label	: False
	Tag Name	: YES 0VV
	Object Style/Object Type	: Style-1(Rectangular)/Toggle
	ON Text	: 1 – YES
		: 2 – On
	ON Text Color	: 0(False)
	ON Text Back Color	: 32(False)
	ON Text Back Effect	: None
	ON Text Alignment(Font)	: Middle(Arial)
	ON Text Size	: 20
	OFF Text	: 1 – YES
		: 2 – Off
	OFF Text Color	: 0(False)
	OFF Text Back Color	: 32(False)
	OFF Text Back Effect	: None
	OFF Text Alignment(Font)	: Middle(Arial)
	OFF Text Size	: 20

[Visibility]
[Option]

Object Visibility Option
Sound Library
Press Delay
Password Option

: False
: Default (Beep)
: False
: False

[Password]



[Main]

Name
Display Frame
Top-Left/Bottom-Right/Width/Height
Label
Tag Name
Object Style/Object Type
ON Text

: Pushbutton2
: False
: 160,370 310,590 220 150
: False
: *NO OFF*
: Style-1(Rectangular)/Toggle
: 1 - NO
: 2 - On

[General]

ON Text Color
ON Text Back Color
ON Text Back Effect
ON Text Alignment(Font)
ON Text Size
OFF Text

: 0(False)
: 16(False)
: None
: Middle(Arial)
: 20
: 1 - NO
: 2 - Off

OFF Text Color
OFF Text Back Color
OFF Text Back Effect
OFF Text Alignment(Font)
OFF Text Size

: 0(False)
: 16(False)
: None
: Middle(Arial)
: 20

[Visibility]
[Option]

Object Visibility Option
Sound Library
Press Delay
Password Option

: False
: Default (Beep)
: False
: False

[Password]