

# Radio observations of Mrk501 with INAF/IRA radio telescopes

Marcello Giroletti

INAF Istituto di Radioastronomia

# Foreword

- Four events take place (almost) simultaneously:
  - I enter the collaboration
  - the multi-I campaign is launched
  - a mm-VLBI proposal on Mrk501 is accepted and obs scheduled in May
  - INAF/IRA call for proposal, with new K-band receiver announced
- I decide to join the campaign, although:
  - I am new to the collaboration
  - I am new to multi-I campaigns
  - I am new to single dish observations
- Acknowledge help from
  - P. Leto, G. Maccaferri, A. Orlati, D. Paneque, D. Thompson


# Observations – single dish

- Two compromises needed
  - maximize core/extended flux density ratio (variable/steady emission) without pushing instruments beyond their capabilities
    - Noto telescope (32m), active surface, 43 GHz
    - Medicina telescope (32m), 8 and 22 GHz
  - maximize # of epochs with limited experience and short notice
    - Noto: 7 epochs (2 March, 2 April, 1+2 May)
    - Medicina: 9 epochs (5+4, early May)



# Observations – mm-VLBI


- Although originally part of a jet structure project (see Giroletti et al. 2008 in press)
  - interesting to compare to MOJAVE images/flux densities
  - provides the core flux density least contaminated by extended non-variable radio emission
- Scheduled, correlated by GMVA staff
  - Global Millimeter-VLBI Array
  - <http://www.mpifr-bonn.mpg.de/div/vlbi/globalmm/>



M. Giroletti – observations of Mrk501 with the INAF radio telescopes – EVO meeting


# Results - Medicina

- Observations on 1, 2, 3, 4, 5, 8, 9, 10, 11 May
- about 45 min at X band, 90 min at K band (on source)
- X band data ok, K band data ko
  - new receiver not calibrated yet, old receiver not maintained anymore
- no significant variability seen during nights and from night to night
- $S = 1.31 \pm 0.06$  Jy



# Results - Noto

- Observations on March 30, 31; April 23, 24; May 5, 25, 26
- about 30 min at Q band  
– data ok
- no significant variability seen over this period
- $S = 0.89 \pm 0.08$  Jy
- 8.4-43 GHz spectral index  $\sim 0.24$



# Summary (so far)

- So far
  - 16 radio data points available for the campaign
  - 1 pending (mm-VLBI) - highest frequency 😊  
single epoch, PV failure 😞
  - no clear variability on different timescales,  
different frequencies
    - no IDV, no flaring, not diluted by extended emission
- Future
  - this campaign: connection to other instruments
  - other campaigns: gained a lot of experience!