

Port number assignments for users

LICOS users should select their base port numbers from the following list. The value is used by the system (vsc*.cfg, the proxies and test_vsc) to distinguish between users.

New users may allocate the next port in the sequence and add themselves to the list. Port numbers should be separated by 10 since the system uses the in-between values.

| | |
|---------------------------|----------|
| glast | 300 0 |
| panetta | 301 0 |
| stuvi | 302 0 |
| claus | 303 0 |
| russell | 304 0 |
| jgt | 305 0 |
| jana | 306 0 |
| blee | 307 0 |
| perazzo | 308 0 |
| philiph | 309 0 |
| scondam | 310 0 |
| jpineau | 311 0 |
| apw | 312 0 |
| saxton | 313 0 |
| mitra | 314 0 |
| tether | 315 0 |
| kiml | 316 0 |
| Simona Murgia | 317 0 |
| Ping Wang | 318 0 |
| Yvonne Vasetta Edmonds | 319 0 |
| J. Eric. Grove | 320 0 |
| Bijan Berenji | 321 0 |
| Alexandre Chekhtman | 322 0 |
| Elliott Bloom | 323 0 |
| Luca Latronico | 324 0 |
| Philippe Bruel | 325 0 |
| Alex Drlica-Wagner | 326 0 |