

Running at NERSC

- - [Getting An Account](#)
 - [Useful NERSC Links](#)
 - [Batch Job Example](#)
 - [Interactive Example](#)

Getting An Account

Note: this should only be necessary for expert developers. Send mail to pcds-ana-l if you have questions.

Apply for an account at this link:

<http://www.nersc.gov/users/accounts/user-accounts/get-a-nersc-account/>

Use the following information for the various fields:

- Principal Investigator and Repository Name: "Amedeo Perazzo" (this should automatically select the "repo" to be "LCLS")
- Organization: "USA: Stanford Linear Accelerator Center"

Useful NERSC Links

(courtesy of Anton Barty)

- running shifter: <https://docs.nersc.gov/development/shifter/how-to-use/>
- The 'module add' command. Explains why stuff is not there by default, and how to get it easily. <https://docs.nersc.gov/environment/#module-faq>
- Queues <https://docs.nersc.gov/jobs/policy/>
- X11 can be slow from afar. I did find NX ("nomachine") instructions: <https://docs.nersc.gov/connect/nx/>

Batch Job Example

Currently this is only possible for "early access users" who have accounts at NERSC.

- data are available at NERSC in this directory (the equivalent of /reg/d/psdm): /global/project/projectdirs/lcls/d/psdm/. Set environment variable SIT_PSDM_DATA to this location so psana will be able to locate the data
- ssh to cori.nersc.gov (the equivalent of a pslogin node)
- information on the cori batch system ("slurm") is here: <https://docs.nersc.gov/jobs/>
- there are 32 cores on each cori node
- to get to the equivalent of a "psana" node you should run an "interactive job" as described here: <https://docs.nersc.gov/jobs/interactive/>

Example slurm batch-job script submitted with "sbatch <scriptname>" ("srun" is the cray-equivalent of "mpirun"). These examples can be found at <https://github.com/monarin/psana-nersc.git> in "psana1/submit.sh" and "psana1/run_nersc.sh":

```
#!/bin/bash -l
#SBATCH --account=lcls
#SBATCH --job-name=lcls-py2-root
#SBATCH --nodes=1
#SBATCH --constraint=kn1
#SBATCH --time=00:15:00
#SBATCH --image=docker:slaclcls/lcls-py2-root:latest
#SBATCH --exclusive
#SBATCH --qos=regular
t_start=`date +%s`
export PMI_MMAP_SYNC_WAIT_TIME=600
srun -n 68 -c 4 shifter ./run_nersc.sh
t_end=`date +%s`
echo PSJobCompleted TotalElapsed $((t_end-t_start)) $t_start $t_end
```

Where run_nersc.sh looks like the usual psana-python command:

```
#!/bin/bash
# activate psana environment
source /img/conda.local/env.sh
source activate psana_base

# set location for experiment db and calib dir
export SIT_DATA=$CONDA_PREFIX/data
export SIT_PSDM_DATA=/global/cscratch1/sd/psdatmgr/data/psdm

# prevent crash when running on one core
export HDF5_USE_FILE_LOCKING=FALSE

python mpiDatasource.py
```

Interactive Example

To run a shorter "interactive" session (very useful for debugging since you don't have to wait for a batch job to start after fixing each typo:

```
monarin@cori02: salloc -C knl -N 1 -t 1:00:00 -q interactive -A lcsls --image=docker:slacslcls/lcls-py2-root:
latest
salloc: Pending job allocation 32421205
salloc: job 32421205 queued and waiting for resources
salloc: job 32421205 has been allocated resources
salloc: Granted job allocation 32421205
salloc: Waiting for resource configuration
salloc: Nodes nid02346 are ready for job
monarin@nid02346: srun -n 3 shifter ./run.sh
2
0
1

monarin@nid02346: cat run.sh
#!/bin/bash
source /img/conda.local/env.local
source activate psana_base
python test_mpi.py
```

And another approach that gets you a prompt "inside" the shifter container's conda environment:

