

Xrootd

Administration

- Access permissions
- [Test XrootD](#)

Tasks

- [Purge reprocessed recon files](#)

Monitoring

- [Ganglia Xrootd](#)
- [diskusage \(simple table\)](#)
- [Files on disk](#)
- [Files Backed up to HPSS](#)
- [FGST files added to HPSS](#)
- [Files added to HPSS](#)

Fermi Xrootd Data Server

Xrootd is also referred to as SCALLA (Scalable Cluster Architecture for Low Latency Access) and xrootd is the daemon that provides the access to the data.

Xrootd Client Tools

- Using the client tools [Xrootd Client Tools](#)
- [xrdcp](#) xrootd copy program (link to SCALLA Wiki)
- [xrd.pl](#) perl command line tool to *stat*, *rm*, files in xrootd

Xrootd Monitoring

- [Ganglia Xrootd](#)
- [diskusage \(simple table\)](#)
- [Files on disk](#)
- [Files Backed up to HPSS](#)
- [FGST files added to HPSS](#)
- [Files added to HPSS](#)

JIRA and Refernces

There are two bug tracking JIRA websites:

- [Glast related Xrootd JIRA](#)
- [Xrootd development JIRA](#)

There is also a xrootd (Scalla) Wiki and web site:

- [Scala Wiki page](#)
- [Scalla/Xrootd home page](#)