

LCLS Cavity BPM Receivers Network Information

MAC	IP	Switch 1 (upper byte, left side)	Switch 2 (lower byte right side)	Address	Status	Device	Node	Beamline	Girder	BPM serial number	SLAC ID
08:00:56:00:14:32	172.27.15.200	0x0	0x4	0x04	Future	BPMS:UNDH:1305	bpms-unds-1305	HXR	TBD		
08:00:56:00:14:33	172.27.15.201	0x1	0x4	0x14	Future	BPMS:UNDH:1390	bpms-undh-1390	HXR	13		
08:00:56:00:14:34	172.27.15.202	0x2	0x4	0x24	Future	BPMS:UNDH:1490	bpms-undh-1490	HXR	14		
08:00:56:00:14:35	172.27.15.203	0x3	0x4	0x34	Future	BPMS:UNDH:1590	bpms-undh-1590	HXR	15		
08:00:56:00:14:36	172.27.15.204	0x4	0x4	0x44	Future	BPMS:UNDH:1690	bpms-undh-1690	HXR	16		
08:00:56:00:14:37	172.27.15.205	0x5	0x4	0x54	Future	BPMS:UNDH:1790	bpms-undh-1790	HXR	17		
08:00:56:00:14:38	172.27.15.206	0x6	0x4	0x64	Online	BPMS:UNDH:1890	bpms-undh-1890	HXR	18	60	18034007
08:00:56:00:14:39	172.27.15.207	0x7	0x4	0x74	Future	BPMS:UNDH:1990	bpms-undh-1990	HXR	19	63	18034101
08:00:56:00:14:3A	172.27.15.208	0x8	0x4	0x84	Future	BPMS:UNDH:2090	bpms-undh-2090	HXR	20	62	18034006
08:00:56:00:14:3B	172.27.15.209	0x9	0x4	0x94	Online	BPMS:UNDH:2190	bpms-undh-2190	HXR	21	55	18034003
08:00:56:00:14:3C	172.27.15.210	0xA	0x4	0xA4	Future	BPMS:UNDH:2290	bpms-undh-2290	HXR	22	61	18034102
08:00:56:00:14:3D	172.27.15.211	0xB	0x4	0xB4	Future	BPMS:UNDH:2390	bpms-undh-2390	HXR	23	58	18034005
08:00:56:00:14:3E	172.27.15.212	0xC	0x4	0xC4	Online	BPMS:UNDH:2490	bpms-undh-2490	HXR	24	54	18034023
08:00:56:00:14:3F	172.27.15.213	0xD	0x4	0xD4	Online	BPMS:UNDH:2590	bpms-undh-2590	HXR	25	53	18034072
08:00:56:00:14:40	172.27.15.214	0xE	0x4	0xE4	Installed	BPMS:UNDH:2690	bpms-undh-2690	HXR	26	52	18034025
08:00:56:00:14:41	172.27.15.215	0xF	0x4	0xF4	Installed	BPMS:UNDH:2790	bpms-undh-2790	HXR	27	51	18033999
08:00:56:00:14:42	172.27.15.216	0x0	0x5	0x05	Online	BPMS:UNDH:2890	bpms-undh-2890	HXR	28	48	18033943
08:00:56:00:14:43	172.27.15.217	0x1	0x5	0x15	Online	BPMS:UNDH:2990	bpms-undh-2990	HXR	29	49	18033938
08:00:56:00:14:44	172.27.15.218	0x2	0x5	0x25	Online	BPMS:UNDH:3090	bpms-undh-3090	HXR	30	50	18034024
08:00:56:00:14:45	172.27.15.219	0x3	0x5	0x35	Online	BPMS:UNDH:3190	bpms-undh-3190	HXR	31	47	18033964
08:00:56:00:14:46	172.27.15.220	0x4	0x5	0x45	Online	BPMS:UNDH:3290	bpms-undh-3290	HXR	32	45	18033964
08:00:56:00:14:47	172.27.15.221	0x5	0x5	0x55	Online	BPMS:UNDH:3390	bpms-undh-3390	HXR	33	44	18033963
08:00:56:00:14:48	172.27.15.222	0x6	0x5	0x65	Online	BPMS:UNDH:3490	bpms-undh-3490	HXR	34	43	18033947
08:00:56:00:14:49	172.27.15.223	0x7	0x5	0x75	Online	BPMS:UNDH:3590	bpms-undh-3590	HXR	35	39	18033975
08:00:56:00:14:4A	172.27.15.224	0x8	0x5	0x85	Online	BPMS:UNDH:3690	bpms-undh-3690	HXR	36	40	18033973
08:00:56:00:14:4B	172.27.15.225	0x9	0x5	0x95	Online	BPMS:UNDH:3790	bpms-undh-3790	HXR	37	41	18034002
08:00:56:00:14:4C	172.27.15.226	0xA	0x5	0xA5	Online	BPMS:UNDH:3890	bpms-undh-3890	HXR	38	42	18033971
08:00:56:00:14:4D	172.27.15.227	0xB	0x5	0xB5	Online	BPMS:UNDH:3990	bpms-undh-3990	HXR	39	38	18033962
08:00:56:00:14:4E	172.27.15.228	0xC	0x5	0xC5	Online	BPMS:UNDH:4090	bpms-undh-4090	HXR	40	37	18033966
08:00:56:00:14:4F	172.27.15.229	0xD	0x5	0xD5	Online	BPMS:UNDH:4190	bpms-undh-4190	HXR	41	36	18033969
08:00:56:00:14:50	172.27.15.230	0xE	0x5	0xE5	Online	BPMS:UNDH:4290	bpms-undh-4290	HXR	42	35	18033976

08:00:56:00:14:51	172.27.15.231	0xF	0x5	0xF5	Online	BPMS:UNDH:4390	bpms-undh-4390	HXR	43	33	18033948
08:00:56:00:14:52	172.27.15.232	0x0	0x6	0x06	Online	BPMS:UNDH:4490	bpms-undh-4490	HXR	44	34	18033972
08:00:56:00:14:53	172.27.15.233	0x1	0x6	0x16	Online	BPMS:UNDH:4590	bpms-undh-4590	HXR	45	30	18033950
08:00:56:00:14:54	172.27.15.234	0x2	0x6	0x26	Online	BPMS:UNDH:4690	bpms-undh-4690	HXR	46	31	18033942
08:00:56:00:14:55	172.27.15.235	0x3	0x6	0x36	Installed	BPMS:UNDH:5190	bpms-undh-5190	HXR	51	5	18033949
08:00:56:00:14:56	172.27.15.236	0x4	0x6	0x46	Installed	BPMS:UNDH:4790	bpms-undh-4790	HXR	47		
08:00:56:00:14:57	172.27.15.237	0x5	0x6	0x56	Reserved		bpms-undh-rsvd237				
08:00:56:00:14:58	172.27.15.238	0x6	0x6	0x66	Reserved		bpms-undh-rsvd238				
08:00:56:00:14:59	172.27.15.239	0x7	0x6	0x76	Reserved		bpms-undh-rsvd239				
08:00:56:00:14:5A	172.27.15.240	0x8	0x6	0x86	Reserved		bpms-undh-rsvd240				
08:00:56:00:14:5B	172.27.15.241	0x9	0x6	0x96	Reserved		bpms-undh-rsvd241				
08:00:56:00:14:5C	172.27.15.242	0xA	0x6	0xA6	Reserved		bpms-undh-rsvd242				
08:00:56:00:14:5D	172.27.15.243	0xB	0x6	0xB6	Reserved		bpms-undh-rsvd243				
08:00:56:00:14:5E	172.27.15.244	0xC	0x6	0xC6	Reserved		bpms-undh-rsvd244				
08:00:56:00:14:5F	172.27.15.245	0xD	0x6	0xD6	Reserved		bpms-undh-rsvd245				
08:00:56:00:14:60	172.27.15.246	0xE	0x6	0xE6	Reserved		bpms-undh-rsvd246				
08:00:56:00:14:61	172.27.15.247	0xF	0x6	0xF6	Reserved		bpms-undh-rsvd247				
08:00:56:00:14:62	172.27.15.248	0x0	0x7	0x07	Reserved		bpms-undh-rsvd248				
08:00:56:00:14:63	172.27.15.249	0x1	0x7	0x17	Reserved		bpms-undh-rsvd249				
08:00:56:00:14:00	172.27.141.200	0x0	0x0	0x00	Online	BPMS:UNDS:1690	bpms-unds-1690	SXR	16	46	18033951
08:00:56:00:14:01	172.27.141.201	0x1	0x0	0x01	Online	BPMS:UNDS:1990	bpms-unds-1990	SXR	19	32	18033941
08:00:56:00:14:02	172.27.141.202	0x2	0x0	0x02	Installed	BPMS:UNDS:2190	bpms-unds-2190	SXR	21	28	18033965
08:00:56:00:14:03	172.27.141.203	0x3	0x0	0x03	Online	BPMS:UNDS:2490	bpms-unds-2490	SXR	24	29	18033936
08:00:56:00:14:04	172.27.141.204	0x4	0x0	0x04	Installed	BPMS:UNDS:2590	bpms-unds-2590	SXR	25		18033960
08:00:56:00:14:05	172.27.141.205	0x5	0x0	0x05	Online	BPMS:UNDS:2690	bpms-unds-2690	SXR	26	26	18033952
08:00:56:00:14:06	172.27.141.206	0x6	0x0	0x06	Online	BPMS:UNDS:2790	bpms-unds-2790	SXR	27	23	18034026
08:00:56:00:14:07	172.27.141.207	0x7	0x0	0x07	Online	BPMS:UNDS:2890	bpms-unds-2890	SXR	28	22	18034027
08:00:56:00:14:08	172.27.141.208	0x8	0x0	0x08	Online	BPMS:UNDS:2990	bpms-unds-2990	SXR	29	25	18033968
08:00:56:00:14:09	172.27.141.209	0x9	0x0	0x09	Online	BPMS:UNDS:3090	bpms-unds-3090	SXR	30	12	18033935
08:00:56:00:14:0A	172.27.141.210	0xA	0x0	0x0A	Online	BPMS:UNDS:3190	bpms-unds-3190	SXR	31	13	18033945
08:00:56:00:14:0B	172.27.141.211	0xB	0x0	0x0B	Online	BPMS:UNDS:3290	bpms-unds-3290	SXR	32	24	18033977
08:00:56:00:14:0C	172.27.141.212	0xC	0x0	0x0C	Online	BPMS:UNDS:3390	bpms-unds-3390	SXR	33	19	18033939
08:00:56:00:14:0D	172.27.141.213	0xD	0x0	0x0D	Online	BPMS:UNDS:3490	bpms-unds-3490	SXR	34	21	18034022
08:00:56:00:14:0E	172.27.141.214	0xE	0x0	0x0E	Online	BPMS:UNDS:3590	bpms-unds-3590	SXR	35	15	18033970
08:00:56:00:14:0F	172.27.141.215	0xF	0x0	0x0F	Online	BPMS:UNDS:3690	bpms-unds-3690	SXR	36	17	18033959

08:00:56:00:14:10	172.27.141.216	0x0	0x1	0x10	Online	BPMS:UNDS:3790	bpms-unds-3790	SXR	37	20	18033974
08:00:56:00:14:11	172.27.141.217	0x1	0x1	0x11	Online	BPMS:UNDS:3890	bpms-unds-3890	SXR	38	7	18033937
08:00:56:00:14:12	172.27.141.218	0x2	0x1	0x12	Online	BPMS:UNDS:3990	bpms-unds-3990	SXR	39	8	18033956
08:00:56:00:14:13	172.27.141.219	0x3	0x1	0x13	Online	BPMS:UNDS:4090	bpms-unds-4090	SXR	40	8	18033967
08:00:56:00:14:14	172.27.141.220	0x4	0x1	0x14	Online	BPMS:UNDS:4190	bpms-unds-4190	SXR	41	14	18033940
08:00:56:00:14:15	172.27.141.221	0x5	0x1	0x15	Online	BPMS:UNDS:4290	bpms-unds-4290	SXR	42	16	18033957
08:00:56:00:14:16	172.27.141.222	0x6	0x1	0x16	Online	BPMS:UNDS:4390	bpms-unds-4390	SXR	43	11	18033944
08:00:56:00:14:17	172.27.141.223	0x7	0x1	0x17	Online	BPMS:UNDS:4490	bpms-unds-4490	SXR	44	10	18033953
08:00:56:00:14:18	172.27.141.224	0x8	0x1	0x18	Online	BPMS:UNDS:4590	bpms-unds-4590	SXR	45	3	18033961
08:00:56:00:14:19	172.27.141.225	0x9	0x1	0x19	Online	BPMS:UNDS:4690	bpms-unds-4690	SXR	46	2	18034000
08:00:56:00:14:1A	172.27.141.226	0xA	0x1	0x1A	Online	BPMS:UNDS:4790	bpms-unds-4790	SXR	47	6	18033946
08:00:56:00:14:1B	172.27.141.227	0xB	0x1	0x1B	Installed	BPMS:UNDS:5190	bpms-unds-5190	SXR	51	4	18033955
08:00:56:00:14:1C	172.27.141.228	0xC	0x1	0x1C	Reserved	BPMS:LTUS:987	bpms-ltus-987	SXR	NA		
08:00:56:00:14:1D	172.27.141.229	0xD	0x1	0x1D	Reserved	BPMS:UNDS:1590	bpms-unds-1590	SXR	15		
08:00:56:00:14:1E	172.27.141.230	0xE	0x1	0x1E	Reserved	BPMS:UNDS:1790	bpms-unds-1790	SXR	17		
08:00:56:00:14:1F	172.27.141.231	0xF	0x1	0x1F	Reserved	BPMS:UNDS:1890	bpms-unds-1890	SXR	18		
08:00:56:00:14:20	172.27.141.232	0x0	0x2	0x20	Reserved	BPMS:UNDS:2090	bpms-unds-2090	SXR	20		
08:00:56:00:14:21	172.27.141.233	0x1	0x2	0x21	Reserved	BPMS:UNDS:2290	bpms-unds-2290	SXR	22		
08:00:56:00:14:22	172.27.141.234	0x2	0x2	0x22	Reserved	BPMS:UNDS:2390	bpms-unds-2390	SXR	23		
08:00:56:00:14:23	172.27.141.235	0x3	0x2	0x23	Reserved		bpms-unds-rsvd235				
08:00:56:00:14:24	172.27.141.236	0x4	0x2	0x24	Reserved		bpms-unds-rsvd236				
08:00:56:00:14:25	172.27.141.237	0x5	0x2	0x25	Reserved		bpms-unds-rsvd237				
08:00:56:00:14:26	172.27.141.238	0x6	0x2	0x26	Reserved		bpms-unds-rsvd238				
08:00:56:00:14:27	172.27.141.239	0x7	0x2	0x27	Reserved		bpms-unds-rsvd239				
08:00:56:00:14:28	172.27.141.240	0x8	0x2	0x28	Reserved		bpms-unds-rsvd240				
08:00:56:00:14:29	172.27.141.241	0x9	0x2	0x29	Reserved		bpms-unds-rsvd241				
08:00:56:00:14:2A	172.27.141.242	0xA	0x2	0x2A	Reserved		bpms-unds-rsvd242				
08:00:56:00:14:2B	172.27.141.243	0xB	0x2	0x2B	Reserved		bpms-unds-rsvd243				
08:00:56:00:14:2C	172.27.141.244	0xC	0x2	0x2C	Reserved		bpms-unds-rsvd244				
08:00:56:00:14:2D	172.27.141.245	0xD	0x2	0x2D	Reserved		bpms-unds-rsvd245				
08:00:56:00:14:2E	172.27.141.246	0xE	0x2	0x2E	Reserved		bpms-unds-rsvd246				
08:00:56:00:14:2F	172.27.141.247	0xF	0x2	0x2F	Reserved		bpms-unds-rsvd247				
08:00:56:00:14:30	172.27.141.248	0x0	0x3	0x30	Reserved		bpms-unds-rsvd248				
08:00:56:00:14:31	172.27.141.249	0x1	0x3	0x31	Reserved		bpms-unds-rsvd249				

